

		C Tolerantie voor gaten			c Tolerantie voor assen		
boven	t / m	8	9	11	8	9	11
1	3	74	85	120	-60	-60	-60
		60	60	60	-74	-85	-120
3	6	88	100	145	-70	-70	-70
		70	70	70	-88	-100	-145
6	10	102	116	170	-80	-80	-80
		80	80	80	-102	-116	-170
10	18	122	138	205	-95	-95	-95
		95	95	95	-122	-138	-205
18	30	143	162	240	-110	-110	-110
		110	110	110	-143	-162	-240
30	40	159	182	280	-120	-120	-120
		120	120	120	-159	-182	-280
40	50	169	192	290	-130	-130	-130
		130	130	130	-169	-192	-290
50	65	186	214	330	-140	-140	-140
		140	140	140	-186	-214	-330
65	80	196	224	340	-150	-150	-150
		150	150	150	-196	-224	-340
80	100	224	257	390	-170	-170	-170
		170	170	170	-224	-257	-390
100	120	234	267	400	-180	-180	-180
		180	180	180	-234	-267	-400
120	140	263	300	450	-200	-200	-200
		200	200	200	-263	-300	-450
140	160	273	310	460	-210	-210	-210
		210	210	210	-273	-310	-460
160	180	293	330	480	-230	-230	-230
		230	230	230	-293	-330	-480
180	200	312	355	530	-240	-240	-240
		240	240	240	-312	-355	-530
200	225	332	375	550	-260	-260	-260
		260	260	260	-332	-375	-550
225	250	352	395	570	-280	-280	-280
		280	280	280	-352	-395	-570
250	280	381	430	620	-300	-300	-300
		300	300	300	-381	-430	-620
280	315	411	460	650	-330	-330	-330
		330	330	330	-411	-460	-650
315	355	449	500	720	-360	-360	-360
		360	360	360	-449	-500	-720
355	400	489	540	760	-400	-400	-400
		400	400	400	-489	-540	-760
400	450	537	595	840	-440	-440	-440
		440	440	440	-537	-595	-840
450	500	577	635	880	-480	-480	-480
		480	480	480	-577	-635	-880

Disclaimer: aan deze gegevens kunnen geen rechten worden ontleend. Gebruik van deze gegevens is op eigen risico.