

		K Tolerantie voor gaten				k Tolerantie voor assen			
boven	t/m	5	6	7	8	4	5	6	7
1	3	0	0	0	0	3	4	6	10
		-4	-6	-10	-14	0	0	0	0
3	6	0	2	3	5	5	6	9	13
		-5	-6	-9	-13	1	1	1	1
6	10	1	2	5	6	5	7	10	16
		-5	-7	-10	-16	1	1	1	1
10	18	2	2	6	8	6	9	12	19
		-6	-9	-12	-19	1	1	1	1
18	30	1	2	6	10	8	11	15	23
		-8	-11	-15	-23	2	2	2	2
30	50	2	3	7	12	9	13	18	27
		-9	-13	-18	-27	2	2	2	2
50	65	3	4	9	14	10	15	21	32
65	80	-10	-15	-21	-32	2	2	2	2
80	100	2	4	10	16	13	18	25	38
100	120	-13	-18	-25	-38	3	3	3	3
120	140	3	4	12	20	15	21	28	43
140	160	-15	-21	-28	-43	3	3	3	3
160	180								
180	200	2	5	13	22	18	24	33	50
200	225	-18	-24	-33	-50	4	4	4	4
225	250								
250	280	3	5	16	25	20	27	36	56
280	315	-20	-27	-36	-56	4	4	4	4
315	355	3	7	17	28	22	29	40	61
355	400	-22	-29	-40	-61	4	4	4	4
400	450	2	8	18	29	25	32	45	68
450	500	-25	-32	-45	-68	5	5	5	5

Disclaimer: aan deze gegevens kunnen geen rechten worden ontleend. Gebruik van deze gegevens is op eigen risico.